



Lay In Diffuser DPC Steel / Aluminium

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

Modular ceiling diffuser with a round neck adapter and circular face plate, designed for lay-in ceiling installation, and a 360° air distribution pattern.

1

Finishes

Baked electrostatic powder coating in Gloss White (standard). (Other colors available)

2

Dimensions

Available in 6", 8", 10", 12", 14", and 16" diameter collars

3

Construction

Made entirely of Steel with an option in Aluminum


4

Applications

For installation in drop ceilings for department stores, restaurants, public offices, hospitals, etc.

5

View DPC



PACKAGING:


Airtight plastic packaging for fixing screws.



Lay In Diffuser DPC Steel / Aluminium

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

6 Mounting



7 Nomenclature

DPC T B 12

PRODUCTO MATERIAL COLOR DE PINTURA DIAMETER

DPC PRODUCT	T MATERIAL	B PAINT COLOR	12 DIAMETER
DPC MODULAR CEILING DIFFUSER WITH A ROUND NECK	T UNINSULATED STEEL	B WHITE	06
	U UNINSULATED ALUMINUM	S UNPAINTED	08
		A NATURAL ALUMINUM	10
		N BLACK	12
			14
			16



Lay In Diffuser DPC Steel / Aluminium

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

8 Accessories (OPTIONAL)



Damper CONCC

Galvanized steel circular connector with damper for air volume adjustment



Damper CONEC

Galvanized sheet circular connector used for connecting flexible duct to the main rectangular duct.



Damper COREC

Reinforced airtight circular damper with circumferential neoprene seal.



Butterfly Damper CVM

Opposed blade butterfly volume control