



Lay In Diffuser DPF Steel / Aluminium

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

Steel modular ceiling diffuser, 24" x 24", with a series of fixed concentric square deflectors for 4-way air distribution. Features an aerodynamic plenum box for more efficient 360° air distribution and a round neck for flexible duct connection.

1

Finishes

Baked electrostatic powder coating in Gloss White (standard). (Other colors available)

2

Dimensions

Available in 6", 8", 10", 12", 14", and 16" diameter collars

3

Construction

Made entirely of Steel with an option in Aluminum



4

Applications

For installation in drop ceilings for department stores, restaurants, public offices, hospitals, etc.

5

View DPF



PACKAGING:


Airtight plastic packaging for fixing screws.



Lay In Diffuser DPF Steel / Aluminium

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

6 Mounting



7 Nomenclature

DPF T B 12
PRODUCTO MATERIAL COLOR DE PINTURA DIAMETER

DPF PRODUCT	T MATERIAL	B PAINT COLOR	12 DIAMETER
DPF CEILING DIFFUSER WITH A SERIES OF FIXED CONCENTRIC	T UNINSULATED STEEL	B WHITE	06
	U UNINSULATED ALUMINUM	S UNPAINTED	08
		10	10
		12	12
		14	14
		N BLACK	16



Lay In Diffuser DPF Steel / Aluminium

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

8 Accessories (OPTIONAL)




Damper CONCC

Galvanized steel circular connector with damper for air volume adjustment



Damper CONEC

Galvanized sheet circular connector used for connecting flexible duct to the main rectangular duct.



Damper COREC

Reinforced airtight circular damper with circumferential neoprene seal.



Butterfly Damper CVM

Opposed blade butterfly volume control