



Diffuser DCF / Steel - Aluminium

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

Circular Ceiling Diffuser manufactured from steel with fixed conical deflectors that provide a 360° radial air distribution pattern, ensuring efficient and uniform airflow for HVAC applications.

1

Finishes

Baked electrostatic paint (polyester) white
Vermont as standard finish.

2

Dimensions

Available with neck diameters of 6", 8", 10",
12", 14", 18", 20" and 24"

3

Materials

Made entirely of Steel with an option in
Aluminum


4

Applications


Ideal for installation in shopping malls, movie
theaters, hotels, offices, restaurants, and similar
commercial applications.

5

View



Ø LISTED	"A"	"B"	"C"
6"	5-3/4"	2"	13"
8"	7-3/4"	1-3/4"	15"
10"	9-3/4"	1-1/4"	18"
12"	11-3/4"	2-3/8"	21-1/2"
14"	13-3/4"	2-3/4"	26"
16"	15-3/4"	2-3/8"	28-3/4"
18"	17-3/4"	5-3/8"	38-1/4"
20"	19-3/4"	5-3/8"	38-1/4"
24"	23-3/4"	6-5/8"	43-5/8"




PACKAGING:
Airtight plastic individual packaging.



Diffuser DCF / Steel - Aluminium

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

6 Mounting



7 Nomenclature

DCF A B 12 C

PRODUCT MATERIAL PAINT COLOR DIAMETER CONTROL

DCF PRODUCT	A MATERIAL	B PAINT COLOR	12 DIAMETER	C CONTROL
DCF CIRCULAR CEILING DIFFUSER WITH CONICAL DEFLECTORS	A STEEL L ALUMINUM	B WHITE A NATURAL ALUMINUM N BLACK	06 08 10 12 14 16 18 20 24	S WITHOUT DAMPER X WITH OPPOSED BLADE DAMPER C BUTTERFLY VOLUME DAMPER



Diffuser DCF / Steel - Aluminium


DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

8 Accessories (Optional)



Compuerta COMPC

Circular Damper with reinforced construction and an adjustable quadrant.



Compuerta COREC

Circular Damper with reinforced, airtight construction and a circumferential neoprene seal.



Compuerta Mariposa CVM

Circular Damper with two opposed blades for airflow volume control.