



Diffuser DCV / Steel - Aluminium

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

Circular Ceiling Diffuser manufactured from steel with two adjustable conical deflectors that provide a 360° radial air distribution pattern for high-air-volume applications. The deflectors allow gradual adjustment of the vertical air discharge angle for precise airflow control.

1

Finishes

Baked electrostatic paint (polyester) white
Vermont as standard finish.

2

Dimensions

Available with neck diameters of 6", 8", 10",
12", 14", 18" and 20"

3

Materials

Made entirely of Steel with an option in
Aluminum


4

Applications

Ideal for installation in shopping malls, movie
theaters, hotels, offices, restaurants, and similar
commercial applications.

5

View



LISTED Ø	"A"	"B"	"C"
6"	5-3/4"	2"	13"
8"	7-3/4"	1-3/4"	15"
10"	9-3/4"	1-1/4"	18"
12"	11-3/4"	2-3/8"	21-1/2"
14"	13-3/4"	2-3/4"	26"
16"	15-3/4"	2-3/8"	28-3/4"
18"	17-3/4"	5-3/8"	38-1/4"
20"	19-3/4"	5-3/8"	38-1/4"




PACKAGING:
Airtight plastic individual packaging.



Diffuser DCV / Steel - Aluminium

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

6 Mounting



7 Nomenclature

DCV A B 12 S
PRODUCT MATERIAL PAINT COLOR DIAMETER CONTROL

DCV PRODUCT	A MATERIAL	B PAINT COLOR	12 DIAMETER	S CONTROL
DCV CIRCULAR CEILING DIFFUSER WITH TWO ADJUSTABLE CONCENTRIC DEFLECTORS	A STEEL L ALUMINUM	B WHITE A NATURAL ALUMINUM N BLACK	06 08 10 12 14 16 18 20	S WITHOUT CONTROL



Diffuser DCV / Steel - Aluminium


DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

8 Accessories (Optional)



Compuerta COMPC

Circular Damper with reinforced construction and an adjustable quadrant.



Compuerta COREC

Circular Damper with reinforced, airtight construction and a circumferential neoprene seal.



Compuerta Mariposa CVM

Circular Damper with two opposed blades for airflow volume control.