



Lay In Diffuser RPP Steel / Aluminium

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

Return modular false ceiling mounted 24" x 24", featuring a full perforated face, without a back box or round neck.

1

Finishes

Baked electrostatic powder paint (polyester) bright white standard. Other colors available: grey (electrostatic powder paint) and black (liquid bake coating).

2

Dimensions

Available only in the 24" x 24" ceiling size.

3

Construction

Made entirely of Steel with an option in Aluminum



4

Applications

For installation in drop ceilings for department stores, restaurants, public offices, hospitals, etc.

5

View RPP



PACKAGING:


Airtight plastic packaging for fixing screws.



Lay In Diffuser RPP Steel / Aluminium

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

6 Mounting



7 Nomenclature

RPP T B 24.00 24.00

PRODUCT MATERIAL PAINT COLOR WIDTH HEIGHT

RPP PRODUCT	T MATERIAL	B PAINT COLOR	24.00 WIDTH	24.00 HEIGHT
RPP RETURN MODULAR WITHOUT A BACK BOX OR ROUND NECK	T UNINSULATED STEEL U UNINSULATED ALUMINUM	B WHITE A NATURAL ALUMINUM N BLACK	2 WHOLE INCHES AND 2 DECIMALS	2 WHOLE INCHES AND 2 DECIMALS



Lay In Diffuser RPP Steel / Aluminium

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

8 You might also be interested in



Damper CONCC

Galvanized steel circular connector with damper for air volume adjustment



Damper CONEC

Galvanized sheet circular connector used for connecting flexible duct to the main rectangular duct.



Damper COREC

Reinforced airtight circular damper with circumferential neoprene seal.



Butterfly Damper CVM

Opposed blade butterfly volume control