



Spiral Duct SLCC

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

Single wall round duct with crimp and bead

1

Finishes

Manufactured in galvanized steel in gauges from 20 up to 30 recommended according to the duct diameter.

*Option with double-wall.

2

Dimensions

Available in diameters from 4 to 60 inches and standard lengths of 2.44 m (8 ft), with custom lengths available upon request. Note: Allow for a 1-1/2" length loss due to the crimp.

3

Construction

G60 minimum galvanization

OPTION:24 y 26 GAUGUE STAINLESS STEEL



4

Applications

Due to its high efficiency thanks to its shape, round ductwork is ideal for any residential, commercial, or industrial HVAC and/or ventilation system.

5

View SLCC






Spiral Duct SLCC

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

6 Mounting





Spiral Duct SLCC

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

7 Nomenclature

SLC S B SA S 26 22 00 06 C

PRODUCT LAYERS FINISH INSULATION STANDARD FINISH GAUGE DIAMETER LENGTH IN FEET BEADED AND CRIMPEAD

SLC PRODUCT	S LAYERS	B FINISH	SA INSULATION	S STANDARD FINISH	26 GAUGE	22 DIAMETER	00	06 LENGTH IN FEET	C BEADED AND CRIMPEAD
SLC SPIRO ROUND SPIRAL DUCT	S SINGLE LAYER D DOUBLE LAYER	B SHINY O OPAQUE I INOX 430 *ONLY GAUGE.26	SA WITHOUT FIBERGLASS N5 FIBERGLASS DUCT LINER 1/2" N1 FIBERGLASS DUCT LINER 1" N2 FIBERGLASS DUCT LINER 2" N3 FIBERGLASS DUCT LINER 1-1/2"	S STANDARD FINISH	20 22 24 26 28 30	2 WHOLE INCHES	00	00 METROS 01 02 03 04 05 06 07 08 09 10	C BEADED AND CRIMPEAD



Spiral Duct SLCC

DUCTS+GRILLES+DIFFUSERS+FILTERS+FITTINGS+LOUVERS+DAMPERS

8 You might also be interested in




Damper CONCC

Galvanized steel circular connector with damper for air volume adjustment



Damper CONEC

Galvanized sheet circular connector used for connecting flexible duct to the main rectangular duct.



Damper COREC

Reinforced airtight circular damper with circumferential neoprene seal.



Butterfly Damper CVM

Opposed blade butterfly volume control